



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/492,300	01/27/2000	Toshitaka Agano	Q55891 9715	
7590 04/05/2006 Sughrue Mion Zinn Macpeak & Seas 2100 Pennsylvania Avenue N W			EXAMINER	
			NGUYEN, JENNIFER T	
Washington, D			ART UNIT	PAPER NUMBER
5 ,			2629	· -

DATE MAILED: 04/05/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		1			
Office Action Summary		Application No.	Applicant(s)		
		09/492,300	AGANO, TOSHITAKA		
		Examiner	Art Unit		
		Jennifer T. Nguyen	2629		
Period f	The MAILING DATE of this communication app or Reply	pears on the cover sheet with the c	orrespondence address		
A SH WHIC - Exte after - If NC - Failu Any	IORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING Dominions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. Depriod for reply is specified above, the maximum statutory period vure to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status					
1)⊠ 2a)⊠ 3)□		action is non-final. nce except for formal matters, pro			
Disposit	ion of Claims		•		
5)□ 6)⊠ 7)⊠ 8)□	Claim(s) <u>1-37</u> is/are pending in the application. 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) <u>1-15,17-22 and 24-37</u> is/are rejected. Claim(s) <u>16 and 23</u> is/are objected to. Claim(s) are subject to restriction and/o	wn from consideration.			
·· _	The specification is objected to by the Examine	_			
10)	The drawing(s) filed on is/are: a) accomplicant may not request that any objection to the Replacement drawing sheet(s) including the correct	epted or b) objected to by the I drawing(s) be held in abeyance. See ion is required if the drawing(s) is ob	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).		
Priority (under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
2) 🔲 Notic 3) 🔯 Infor	t(s) se of References Cited (PTO-892) se of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) or No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:			

Application/Control Number: 09/492,300 Page 2

Art Unit: 2629

DETMLED ACTION

1. This Office Action is responsive to Amendment filed on 12/2/05.

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claim Rejections - 35 USC § 102

3. Claim 1 is rejected under 35 U.S.C. 102(e) as being anticipated by Beeteson (Patent No. Us 5,196,382).

Regarding claim 1, referring to Fig. 2, Beeteson teaches a display device, having: at least two sets of luminance (50 and 55) including an image maximum luminance for displaying an image (i.e., displaying whole surface of the LCD) and an ordinary maximum luminance for displaying non-image information (i.e., displaying window icon or typing text), said ordinary maximum luminance being lower than said image maximum luminance (col. 1, lines 41-45 and col. 2, lines 40-55).

Claim Rejections - 35 USC § 103

4. Claims 2-7, 10, 12, 13, 18, 28, 31 and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beeteson (Patent No. US 5,796,382) in view of Ito (Patent No. US 6, 144,064).

Regarding claims 2-4 and 28, 31, 34, Beeteson differs from claims in that he does not specifically teach a luminance switching unit has a selection unit which makes adjustment to the brightness of the display depending on the image maximum luminance in a case of display of only the image and makes adjustment to the brightness of display depending on said ordinary

Application/Control Number: 09/492,300

Art Unit: 2629

maximum luminance and the brightness of display depending on said image maximum luminance. However, Ito teaches a luminance switching unit has a selection unit (e.g., 2 of Ito) which makes adjustment to the brightness of the display depending on the image maximum luminance (ELI and EL3) in a case of display of only the image and makes adjustment to the brightness of display depending on said ordinary maximum luminance (i.e., EL2) and the brightness of display depending on said image maximum luminance (col. 1, lines 50-61 of Ito). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the switching unit as taught y Ito in the system of Beeteson in order to easily control the brightness of display.

Regarding claim 5, the combination of Beeteson and Ito teaches that an entire display screen is adjusted to a brightness of display not higher than said ordinary maximum luminance in accordance with an operation using graphical user interface (col. 1, lines 50-61 of Ito).

Regarding claim 6, the combination of Beeteson and Ito teaches adjustment of a brightness of display in relation to an ordinary maximum luminance and a maximum luminance is performed by adjustment of a light source (col. 1, lines 1 1-17 of Ito).

Regarding claim 7, Beeteson teaches the non-image information comprises textual information (col. 2, lines 40-55).

Regarding claims 10 and 12, the combination of Beeteson and lto teaches adjustment of brightness of display in relation to said ordinary maximum luminance and said image maximum luminance is performed by adjusting of light source for display (col. 1, lines 50-61 of lto).

Regarding claims 13 and 18, the combination of Beeteson and lto teaches a light source

Art Unit: 2629

control unit (i.e., inverters 1-3) which controls current through each of the multiple light sources independently to increase brightness in display screen (col. 1, lines 50-61 of Ito).

5. Claim 20, 21, 27, 30, 32, 33, 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beeteson (Patent No. US 5,796,382) in view of Reinhardt (Patent No. US 5,598,56\$.

Beeteson differs from claims in that he does not specifically teach the region of the display screen corresponds to one of the image and the non-image information and the another region of the display screen corresponds to another of the image and non-image information. However, refining to Fig. 3, Reinhardt teaches a region of the display screen corresponds to the image (320) and the another region of the display screen corresponds to another of the image and non-image information (310, 330). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the display screen as taught by Reinhardt in the system of Beeteson in order to display the information to viewer efficiently.

6. Claim 8, 9, 25 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beeteson (Patent No. US 5,796,382) in view of Ito (Patent No. US 6, 144,164) and further in view of Tew et al. (Patent No. US 6,232,963).

Regarding claims 8, 9, 25 and 26, the combination of Beeteson and Ito differs from claims in that it does not specifically teaches the image is displayed at a maximum luminance level for the display represented by n bits and wherein the non-image information is displayed at a maximum level represented by less than n bits or n-3 bits. The combination of Ito and

Reinhardt teaches the image is displayed at a maximum luminance level and the non-image information is displayed at a maximum level which is lower than the maximum luminance level of the image. Moreover, Tew teaches greater bit-weights are display with more illumination than bit-planes having smaller bit-weights (abstract). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the bit-weights as taught by Tew in the system of the combination of Beeteson and Ito in order to design a desired brightness level for display.

Page 5

7. Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Beeteson (Patent No. US 5,796,382) in view of Ito (Patent No. US 6,144, 164) and further in view of Saito et al. (Patent No. US 5,315,695).

Regarding claim 11, the combination of Beeteson and Ito differs from claims in that it does not specifically teaches adjustment of the light source comprises increasing or decreasing current through the light source. However, Saito teaches the current amount to be supplied to the light source become greater, the light source emits more light so as to raise the luminance of the display (col. 4, lines 32-45). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the adjustment of the light source as taught by Saito in the system of the combination of Beeteson and Ito in order to control the brightness of the display efficiently.

Art Unit: 2629

8. Claim 14-15,17, 29 and 37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beeteson (Patent No. US 5,796,382), lto (Patent No. US 6, 144, 164) in view of Reinhardt (Patent No. US 5,598,565) and further in view of Iwamoto et al. (Patent No. US 6,532,474).

Regarding claims 14-15, 17, 29 and 37, the combination of Beeteson, Ito, and Reinhardt teaches adjusting brightness of the display based on the control signal (i.e., input mode is defined as text, the lower luminance is applied) (col. 2, lines 39-53 of Beeteson). The combination of Beeteson, Ito, and Reinhardt differs from claims in that it does not specifically teaches display device receiving a control signal supplied extremely to distinguish image and non-image information for display. However, referring to Figs. 7 and 10, lwamoto teaches display device receiving a control portion (8-1) to distinguish image data and text data for display (col. 10, lines 34-42). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the distinguish image and text information for display as taught by Iwamoto in the system of the combination of Beeteson, Ito, and Reinhardt in order to provide enough and appropriate brightness for viewer.

9. Claim 19 and 24 are rejected under 35 U.S.C. 1O3(a) as being unpatentable over Beeteson (Patent No. US 5,796,382) in view of Ito (Patent No. US 6,144, 164) and further in view of Hoshi (Patent No. US 6,020,944).

Regarding claims 19 and 24, the combination of Beeteson and Ito differs from claims 19 and 24 in that it does not specifically teach the image maximum luminance is substantially in the range of 400 cd/mz - 10,000 cd/nû and the ordinary maximum luminance is substantially in the range of 40 cd/mz - 400 cd/mz. However, Hoshi teaches high luminance is about several

Application/Control Number: 09/492,300

Art Unit: 2629

thousands cd/m2 and the lower luminance is substantially in the range of 80- 120 cd/mz (col. 2, lines 26-30). Therefore, it would have been obvious to obtain the range of the luminance level as taught by Hoshi in the system of the combination of Beeteson and Ito in order to provide enough luminance to view the image accurately.

Page 7

10. Claims 22 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beeteson (Patent No. US 5,796,382) in view of Ito (Patent No. US 6, 144,164) and further in view of Vara et al. (Patent No. US 6,063,030).

Regarding claim 22, the combination of Beeteson and Ito teaches having a plurality of ordinary maximum luminance levels (Fig. 2 of Ito). The combination of Beeteson and Ito differs from claim 22 in that it does not specifically teach a diagnostic apparatus connected to the display device. However, Vara teaches a diagnostic apparatus connected to the display device (col. 5, lines 34-41). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the diagnostic apparatus as taught by Vara in the system of the combination of Beeteson and Ito in order to perform accurate, bright display image and avoid stress on the viewer's, specially in the medical field.

11. Claims 16 and 23 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

12. Applicant's arguments filed 12/2/05 have been fully considered but they are not persuasive.

Applicant's remarks regarding Beeteson on page 9 are not persuasive. Claim 1 does not require a portion of the screen is displaying an image or non-image information to determine the illumination level. Claim 1 requires the display device having an image maximum luminance for displaying an image and an ordinary maximum luminance for displaying non-image information. Beeteson teaches when the display device using a whole surface of the LCD to display image information, all backlight lamps are turned on, this corresponds to the display screen having a maximum luminance, when the display device using a portion surface to display non-image information (a window icon or typing text), only one backlight lamp is turned on, this corresponds to an ordinary maximum luminance for displaying non-image information as claimed.

Applicant's remarks regarding claims 8, 9 on pages 10-11 are not persuasive since applicant is reading limitation into the claims.

Conclusion

13. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

Application/Control Number: 09/492,300

Art Unit: 2629

will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the mailing

date of this final action.

14. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Jennifer T. Nguyen whose telephone number is 571-272-7696.

The examiner can normally be reached on M6n-Fri: 9:00am-5:30pm. If attempts to reach the

examiner by telephone are unsuccessful, the examiner's supervisor, Richard Hierpe can be

reached on 571-272-7693. The fax phone number for the organization where this application or

proceeding is assigned 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PMR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-dgect.uspto.gov. Should you have questions on access to the Private PMR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JNguyen

3/27/06

Page 9

SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2600